

Message

From: Clark, Jacqueline [clark.jacqueline@epa.gov]
Sent: 12/22/2016 3:56:52 PM
To: Davies, Lynne [Davies.Lynne@epa.gov]; Collins, Charlie [collins.charlie@epa.gov]; Wilson, Jennifer [wilson.jenniferA@epa.gov]; Reinhart, Roger [Reinhart.Roger@epa.gov]; Rowsey, Kevin [rowsey.kevin@epa.gov]
CC: Duchovnay, Andrew [Duchovnay.Andrew@epa.gov]
Subject: FW: Washington Works - Attachments to Scope of Work
Attachments: Washington Works - 2016 Model Water Treatment Plan draft final.docx

Hi Team – see below my transmittal email to Mike of the MWTP text.

Jacqueline Clark

Associate Regional Counsel
U.S. EPA, Region 5 (C-14J)
77 W. Jackson Blvd.
Chicago, IL 60604
Direct: (312) 353-4191
Fax: (312) 385-5474
email: clark.jacqueline@epa.gov

This e-mail, including attachments, contains information that may be confidential, protected by the attorney/client or other privileges, or otherwise exempt from disclosure under applicable law. If you are not the intended recipient, please do not read this email, delete it, including attachments, and notify the sender that you have received this email in error. The unauthorized use, dissemination, distribution or reproduction of this e-mail, including attachments, is prohibited and may be unlawful.

From: Clark, Jacqueline
Sent: Thursday, December 22, 2016 9:56 AM
To: 'Michael Meloy' <MMeloy@mankogold.com>
Cc: Duchovnay, Andrew <Duchovnay.Andrew@epa.gov>
Subject: RE: Washington Works - Attachments to Scope of Work

Mike – As we just discussed, the two letters you propose to include with SOW are acceptable to EPA.

Please find attached the text of the Model Water Treatment Plan that we believe is in draft final form. We look forward to hearing back from you on the two edits proposed to Attachments 2 and 6 of the Model Water Treatment Plan. If DuPont and Chemours agree that the attached text captures our agreement in principle on the Model Water Treatment Plan, and once we resolve the proposed edits to Attachment 2 and 6, please send a PDF back of the entire Model Water Treatment Plan for our final review.

Thank you,
Jacquie

Jacqueline Clark

Associate Regional Counsel
U.S. EPA, Region 5 (C-14J)
77 W. Jackson Blvd.
Chicago, IL 60604
Direct: (312) 353-4191
Fax: (312) 385-5474
email: clark.jacqueline@epa.gov

This e-mail, including attachments, contains information that may be confidential, protected by the attorney/client or other

privileges, or otherwise exempt from disclosure under applicable law. If you are not the intended recipient, please do not read this email, delete it, including attachments, and notify the sender that you have received this email in error. The unauthorized use, dissemination, distribution or reproduction of this e-mail, including attachments, is prohibited and may be unlawful.

From: Michael Meloy [<mailto:MMeloy@mankogold.com>]
Sent: Wednesday, December 21, 2016 5:43 PM
To: Clark, Jacqueline <clark.jacqueline@epa.gov>
Subject: Washington Works - Attachments to Scope of Work

Jacque –

As we discussed this evening, I am attaching copies of the two form letters that will serve as Attachments 1 and 2 to the Scope of Work for Supplemental Sampling Activities.

Please let me know if you should have any questions.

Best regards.

Michael

Michael M. Meloy, Esquire
MANKO | GOLD | KATCHER | FOX LLP
An environmental, energy, litigation, safety and land use law practice
401 City Avenue, Suite 901 | Bala Cynwyd, PA 19004
(w) 484.430.2303 | (m) 215-850-2349 | (f) 484.430.5711

Please note my new email address and visit our new website!
mmeloy@mankogold.com | www.mankogold.com

The information contained in this e-mail message is intended only for the personal and confidential use of the intended recipient(s). This message may be an attorney-client communication or other confidential information and as such is privileged and confidential. If the reader of this message is not the intended recipient or an agent responsible for delivering it to the intended recipient, you are hereby notified that you have received this communication in error and that any review, dissemination, distribution, or copying of this message is strictly prohibited. If you have received this communication in error, please notify us immediately by e-mail, and delete the original message.